

## Yealink VC Series Video Conferencing System Release Notes of Version 23

### Table of Contents

<b>Yealink VC Series Video Conferencing System Release Notes of Version 23 .....</b>	<b>1</b>
<b>Yealink VC Series Video Conferencing System Release Notes of Version x.23.0.20 .....</b>	<b>2</b>
1. Introduction .....	2
2. New Features .....	2
3. Optimization.....	3
4. Bug Fixes.....	3
<b>Yealink VC Series Video Conferencing System Release Notes of Version x.23.0.6.....</b>	<b>4</b>
1. Introduction .....	4
2. New Features .....	4
3. Optimization.....	4
4. Bug Fixes.....	4

## Yealink VC Series Video Conferencing System Release

### Notes of Version x.23.0.20

#### 1. Introduction

- Firmware Version:
  - VC400: 30.23.0.6 upgrades to 30.23.0.20
  - VC120: 40.23.0.6 upgrades to 40.23.0.20
  - VC110: 50.23.0.6 upgrades to 50.23.0.20
- Applicable Models: VC400, VC120, VC110
- Release Date: Aug 8<sup>th</sup>, 2017.

#### 2. New Features

1. Added the feature that after you register a YMS account on VC110/VC120/VC400, and the administrator has configured the permanent VMR via the Yealink Meeting Server as well as synchronized the permanent VMR to the VC110/VC120/VC400, the permanent VMR will be shown in the contact list on VC110/VC120/VC400. The permanent VMR is put on the top by default, and is with a VMR icon as distinguish.
2. Added the feature that if you enable Automatic invited to conference via YMS and select T49G as Device type for example. Then you register a YMS account on SIP-T49G, when the scheduled conference begins, the endpoint will receive a call to invite you to join the conference, and the LCD screen will display “(user xxx) invite you to join (the theme of the conference) Conference ID: XXX”.
3. Added the feature that you can Enter the IP address or domain name of the Yealink VC Cloud Management Service platform via the remote control at the path Menu -> Advanced (default password: 0000) -> Video Conference Platform -> Server (default value: yealinkvc.com).
4. Added the feature that you can Enter the IP address or domain name of the Yealink VC Cloud Management Service platform via web user interface at the path Account -> VC Platform -> Video Conference Platform -> Server (default value: yealinkvc.com).

### **3. Optimization**

1. Optimized the feature of anti 30% video packet loss.

### **4. Bug Fixes**

1. Fixed some bugs and improved the system stability as well as compatibility.
2. Fixed some bugs about compatibility with other VCS products of business partners.

## Yealink VC Series Video Conferencing System Release

### Notes of Version x.23.0.6

#### 1. Introduction

- Firmware Version:
  - VC400: 30.22.0.16 upgrades to 30.23.0.6
  - VC120: 40.22.0.16 upgrades to 40.23.0.6
  - VC110: 50.22.0.16 upgrades to 50.23.0.6
- Applicable Models: VC400, VC120, VC110
- Release Date: June 24<sup>th</sup>, 2017.

#### 2. New Features

1. Added the feature of Using the Yealink Meeting Server.
2. Added the feature that you can log out from web user interface.
3. Added the feature that you can choose to place a video call or an audio call via web user interface.

#### 3. Optimization

None

#### 4. Bug Fixes

1. Fixed some bugs and improved the system stability as well as compatibility.
2. Fixed some bugs about compatibility with other VCS products of business partners.